

TTL and HSS for Olympus Empowering your creativity

2017.05.08



Profoto and Olympus today announce their collaboration to offer optimized compatibility between Profoto flashes and Olympus cameras. When the unique Profoto AirTTL was first announced in November 2013, it revolutionized the photography industry by enabling a lean workflow and making it possible to seamlessly merge your camera with your flash.

Now we are proud to include Olympus shooters in the AirTTL family, empowering photographers to be more creative and focus less on settings

“Together with Olympus, we are proud to announce our latest family member – the Air Remote TTL-O. Light is the essence of every image and the Profoto AirTTL makes light shaping easier. It unlocks new creative possibilities and helps you go from idea to final image faster.

We are happy to help the world’s most ambitious image creators turn their ambition into reality,” says Anders Hedebark, President of Profoto.

Profoto Air Remote TTL-O is a small, wireless radio transmitter that can be attached to the Olympus camera’s hot shoe. The remote offers full TTL and HSS capability with Profoto’s Pro-10, D2, B1, and B2 flashes.

Learn more at profoto.com/air-remote-ttl-o



Features Air Remote TTL-O

- Olympus hot shoe mount
- Off-Camera TTL control for Profoto AirTTL flashes.
- Remote control for Profoto Air flashes.
- Compatible with Air Sync and Air Remote transceivers.
- Wireless range up to 300 m (1,000 ft).
- Short transmission delay. Supports the fastest X-sync speed on most Olympus cameras.
- 2.4 GHz operation approved worldwide.
- 8 digital channels.
- Controls up to 3 groups of lights on each channel.
- Very easy operation.
- Compact design that integrates with the camera.

Specifications

Product number

901046 Profoto Air Remote TTL-O

- 1 × Air Remote TTL-O incl. batteries
- 1 × USB 2.0 cable
- 1 × Wrist-strap
- 1 × Accessory pouch

Size

75 × 60 × 35 mm (2.9 × 2.3 × 1.4 in)

Weight

75 g (2.6 oz) incl. batteries

Short specifications

Frequency band: 2.4 GHz
 No. of channels: 8 (1-8)
 Wireless range: Up to 300 m (1,000 ft)
 Connections: Olympus Hot Shoe
 Power input: 2 × AAA Alkaline
 Battery life: Up to 30 hours

Olympus camera compatibility

Olympus OM-D E-M1 Mark II
 Olympus OM-D E-M5 Mark II
 Olympus PEN-F

Information

Please note

Find the latest firmware upgrades and a complete list of Olympus camera models that are approved with Air Remote TTL-O in the latest release notes on profoto.com/

Questions

Please contact

Albert Norelius, Product Manager Air Remote TTL-O
Phone +46 76 868 43 95
albert.norelius@profoto.com

Contact

Profoto AB
Box 1264, Landsvägen 57
SE-172 25 Sundbyberg Sweden
Email info@profoto.com
www.profoto.com

Social media

facebook.com/profoto
instagram.com/profotoglobal
twitter.com/profoto
plus.google.com/+profoto
youtube.com/user/ProfotoGlobal